

UDC



# 中华人民共和国国家标准

P

GB 13554

GB 13554-92

---

## High efficiency particulate air filter

( )

2008

---



14

14

14

15

19

21







most penetrating particle size

$\sigma_g$

$\leq \sigma_g \leq$

$\sigma_g$

3.2

CNC

DEHS

DOP

MPPS

Sebacic acid-bis(2-ethyl-)ester

Phthalic acid-bis(2-ethyl-)ester

di-ethyl-hexyl-sebacate

di-octyl-phthalate

OPC

PSL





a.

b.



c.



1

4

1			G C
2		4.1	Y
		4.1	W
3		4.2	A B C D E F
4		4.3	1 2 3


GY-A-3-484 484 220-1000 A 99.9%

3 484 484 220 1000m<sup>3</sup>/h

CW-D-2-610 1220 80-2400 D, 99.999%

2 610 1220 80 2400m<sup>3</sup>/h

C



1— 2 3 4

2





5

		0.5 m	
	3	$3 \cdot 10^4$	
		0.1 m	
	3	$3 \cdot 10^6$	

100%

20%




GB/T 4857.10






ISO7




- |    |    |   |   |    |    |  |  |  |
|----|----|---|---|----|----|--|--|--|
| 1— | 2  | 3 | 4 | 5  |    |  |  |  |
| 6  |    | 7 | 8 | 9  | 10 |  |  |  |
| 11 | 12 |   |   | 13 |    |  |  |  |

A1











484 484 220

1000m<sup>3</sup>/h

350Pa

220Pa B

484 484 90

600m<sup>3</sup>/h